

Revision date: 05/10/2019

1.1. Identification Product form	: Mixture
Trade name	: Diacon IGR
Synonyms	: 100506236; 100510274; 100510275; Diacon Stored Product Insects; EPA Reg. No.: 2724-427;
o ynon yn io	RF-9811 EC; Rizacon
1.2. Recommended use and restric	
Recommended use	: Insect growth regulator.
Restrictions on use	: Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not use or store near heat or open flame. Do NOT take internally. Use only outdoors or in a well-ventilated area.
1.3. Supplier	
Wellmark International	
1501 E. Woodfield Road, Suite 200W	
Schaumburg, IL 60173 - United States	
www.starbarproducts.com	
1.4. Emergency telephone number	
Emergency number	: 1-800-248-7763 1-800-424-9300 - CHEMTREC
	1-800-424-9300 - CHEMTREC 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted
SECTION 2: Hazard(s) identification	tion
2.1. Classification of the substance	e or mixture
GHS-US classification	
Flammable liquids Category 4	Combustible liquid
Acute toxicity (inhalation) Category 4	Harmful if inhaled
	Causas skin irritation
Skin corrosion/irritation Category 2	Causes skin irritation (2A Causes serious eve irritation
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu	/ 2A Causes serious eye irritation ure) Category 3 May cause drowsiness or dizziness
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu	/ 2A Causes serious eye irritation
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including	 / 2A Causes serious eye irritation irre) Category 3 May cause drowsiness or dizziness May be fatal if swallowed and enters airways
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	 / 2A Causes serious eye irritation irre) Category 3 May cause drowsiness or dizziness May be fatal if swallowed and enters airways
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1	 / 2A Causes serious eye irritation irre) Category 3 May cause drowsiness or dizziness May be fatal if swallowed and enters airways
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	 / 2A Causes serious eye irritation irre) Category 3 May cause drowsiness or dizziness May be fatal if swallowed and enters airways
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	 / 2A Causes serious eye irritation irre) Category 3 May cause drowsiness or dizziness May be fatal if swallowed and enters airways
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	 / 2A Causes serious eye irritation irre) Category 3 May cause drowsiness or dizziness May be fatal if swallowed and enters airways
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US)	 (2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements : Control of the state of the state
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	 (2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements : Official GHS07 : Danger
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	 (2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements : Official of the state of the state
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	 (2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements : Official GHS07 : Danger
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	 (2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i <l< td=""></l<>
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	 (2A are) Category 3 Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements <i>i</i> <i>i</i><
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements : : : : : : : : : :
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements : : : : : : : : : :
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i i i i i i i i i i i i i i i i i i i
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 2A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements :
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 A Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i i i i i i i i i i i i i i i i i i i
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Category 3 Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i i i i i i i i i i i i i i i i i i i
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Category 3 Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i i i i i i i i i i i i i i i i i i i
Skin corrosion/irritation Ćategory Ź Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i i i i i i i i i i i i i i i i i i i
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Aspiration hazard Category 1 2.2. GHS Label elements, including GHS US labeling	 Category 3 Causes serious eye irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways precautionary statements i i i i i i i i i i i i i i i i i i i

	Store in a well-ventilated place. Keep cool. Store locked up.	ical advice/attention. nd wash it before reuse. CO2, foam, dry powder to extinguish.	'international
2.3. Other hazards which do not result	t in classification		
Other hazards not contributing to the classification	: Under United States Regulations product is considered hazardous	(29 CFR 1910.1200 - Hazard Communica	ation Standard), this
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/Informat	ion on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
(s)-Methoprene Technical		(CAS-No.) 65733-16-6	33.6
Distillates (petroleum), hydrotreated light		(CAS-No.) 64742-47-8	48.26
Butylated hydroxytoluene		(CAS-No.) 128-37-0	1
Other ingredients		(CAS-No.) N/A	Balance
SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: IF INHALED: Remove person to CENTER or doctor/physician if ye	fresh air and keep comfortable for breathi ou feel unwell.	ng. Call a POISON
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of irritation or rash occurs: Get med	soap and water. Take off contaminated clicitical advice/attention.	othing. If skin
First-aid measures after eye contact		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. If eye irritation persists: Get	
First-aid measures after ingestion		N CENTER or doctor/physician if you feel NOT induce vomiting unless directed to d	
4.2. Most important symptoms and eff	fects (acute and delayed)		
Symptoms/effects after inhalation	: Harmful if inhaled. May cause dr	owsiness or dizziness.	
Symptoms/effects after skin contact	: Causes skin irritation.		
Symptoms/effects after eye contact	: Causes serious eye irritation.		
Symptoms/effects after ingestion	: Aspiration Hazard - may be fatal	if swallowed and enters airways.	
4.3. Immediate medical attention and s Treat symptomatically.	special treatment, if necessary		
51 5			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extingui	•		
Suitable extinguishing media	: Dry powder. Foam. Carbon dioxi	de. water spray.	
5.2. Specific hazards arising from the	chemical		
Fire hazard	: Combustible liquid. Containers m	• •	
Reactivity	: The product is non-reactive unde	er normal conditions of use, storage and tra	ansport.
5.3. Special protective equipment and	procautions for fire-fighters		
epeens presente equiption and	precautions for me-ingitters		

Safety Data Sheet

: Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting apparatus. Complete protective clothing. SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1. 6.1.1. For non-emergency personnel : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable Emergency procedures protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray. 6.1.2. For emergency responders Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection. Emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area. Stay upwind. Wear appropriate personal protective equipment, avoid direct contact. 6.2. **Environmental precautions** Avoid release to the environment. Methods and material for containment and cleaning up 6.3. : Absorb spills with an inert material, clay granules or other inert absorbent material and put in Methods for cleaning up container for disposal. Wear appropriate personal protective equipment, avoid direct contact. SECTION 7: Handling and storage Precautions for safe handling 7.1. Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing Hygiene measures before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed. Keep from freezing. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Incompatible materials : Heat, sparks, open flame. Strong oxidizers. **SECTION 8: Exposure controls/personal protection** 8 1 **Control parameters**

Butylated hydroxytoluene (128-37-0)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³
ACGIH	Remark (ACGIH)	URT irr

8.2.	Appropriate engineering controls		
Appropr	iate engineering controls	:	Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
Environ	mental exposure controls	:	Avoid release to the environment.
8.3.	Individual protection measures/Per	sor	nal protective equipment

Hand protection:

Wear chemically resistant protective gloves.

Eye protection:

Chemical goggles or face shield

Skin and body protection:

It is recommended for handlers to wear appropriate clothing to prevent skin contact including long sleeves, long pants, socks and shoes.

Safety Data Sheet

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid : Clear light amber liquid Appearance Color : Light amber Odor : Chemical-like Odor threshold : No data available : 6.69 @ 25 °C (77 °F) pН Melting point : Not applicable Freezing point : No data available Boiling point : No data available • > 88 °F (>62 8 °C) Flash point

. 200 F (202.0 C)
: No data available
: Not applicable
: No data available
: No data available
: 0.858
: 0.858 g/cm ³
: Insoluble
: No data available
: 0.012 Pascal-sec (Pa.s, Pas)
: No data available
: Not explosive
: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Excessive heat > 110° F. Keep away from fire. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Do not freeze.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. May decompose upon heating to produce toxic vapors/gases.

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Diacon IGR	
LD50 oral	> 5100 mg/kg
LD50 dermal rat	> 2100 mg/kg
LC50 inhalation rat (mg/l)	> 2.009 mg/l/4h

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Harmful if inhaled.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	Not classified
Germ cells mutagen	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation	
Acute	: May cause drowsiness and dizziness. Harmful if inhaled.
Skin	
Acute	: Causes skin irritation.
Eye	
Acute	: Causes serious eye irritation.
Ingestion	
Acute	: Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. Harmful if swallowed.
Mutagenicity	: (s)-Methoprene has been tested and found negative for mutagenicity potential.
Carcinogenicity	: (s)-Methoprene is not classified as a carcinogen by NTP, IARC or OSHA.
Reproductive Effects	: (s)-Methoprene is not a reproductive toxin and does not cause birth defects.

SECTION 12: Ecological information

12.1. Toxicity

(s)-Methoprene Technical (65733-16-6)		
LC50 Acute fish 1	0.76 mg/l (Exposure time: 96h - Rainbow trout)	
LC50 Acute fish 2	> 0.37 mg/l (Exposure time: 96h - Blue gill)	
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 96h - Mysid shrimp)	
LC50 Acute crustacea 2	0.36 mg/l (Exposure time: 48h - Daphnia magna)	
NOEC Chronic fish 1	0.048 mg/l (Fathead minnow)	
NOEC Chronic crustacea 1	0.014 mg/l (Mysid shrimp)	

	2.2. Persistence and degradability
	(s)-Methoprene Technical (65733-16-6)
esticide or	Persistence and degradability
c	

12.3.	Bioaccumulative potential
No addit	onal information available

Safety Data Sheet

2.4. Mobility in soil	
(s)-Methoprene Technical (65733-16-6)	
Mobility in soil	Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days).

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information							
	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards		
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable		
IMDG	UN3082	Packaging greater than 5 L: Environmentally Hazardous substance, Liquid, N.O.S. (S-Methoprene)	9	111	Marine pollutant		
ΙΑΤΑ	UN3082	Packaging greater than 5 L: Environmentally Hazardous substance, Liquid, N.O.S. (S-Methoprene)	9	Ш	Acute aquatic toxicity		

SECTION 15: Regulatory information

15.1. US Federal regulations

Distillates (petroleum), hydrotreated light (64742-47-8)						
Listed on the United States TSCA (Toxic Substances Control Act) inventory						
Butylated hydroxytoluene (128-37-0)						
Listed on the United States TSCA (Toxic Substances Control Act) inventory						
FIFRA Labelling						
EPA Registration Number	2724-427					
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.						
FIFRA Signal word	Caution					
FIFRA Precautionary Statement	KEEP OUT OF REACH OF CHILDREN.					
FIFRA Hazards to Humans and Domestic Animals	Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.					
FIFRA First Aid	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.					

15.2. US State regulations

No additional information available

SECTION 16: Other information				
Date of issue	: 13 November 2014			
05/10/2019	EN (English US)	6/7		

Diacon IGR Safety Data Sheet

Revision date Supersedes : 10 May 2019 : 20 September 2016

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.